

## ILS Laboratories

8222 Vickers St, Suite 106, San Diego, CA 92111  
(619) 329-3999 | ils-lab.com

## GHK-Cu/KPV - 50/10mg

Tested for: Trusted Aminos

COA #: COA-2026-X0G383  
Lot Number: TA-GHKPV4.30.2026  
Accession #: ACC-2026-2303  
Labeled Content: 50/10mg

Analysis Date: 07/10/2026  
Appearance: Good  
Volume: 3mL  
Date Received: 07/03/2026

Method: Full QC Panel+

PASS



Scan to verify  
authenticity at ils-lab.com  
Access Code: 9F3D06D9

|            |                |               |
|------------|----------------|---------------|
| Identity   | Peptide Purity | Fentanyl Free |
| GHK-Cu/KPV | 99.52%         |               |


### Full QC Panel+

| Analyte                   | Specification                | Result       | Unit | Status |
|---------------------------|------------------------------|--------------|------|--------|
| Peptide Purity (HPLC)     | >= 95.0%                     | 99.52%       | %    | PASS   |
| Net Blend Peptide Content | Report Only                  | 63.89        | mg   | N/A    |
| -- GHK-Cu                 |                              | 53.03        | mg   |        |
| -- KPV                    |                              | 10.86        | mg   |        |
| Identity (HPLC-RTM)       | GHK-CU + KPV                 | Confirmed    | -    | PASS   |
| Fentanyl Screen           | Immunoassay, 50 ng/mL cutoff | Not Detected | -    | PASS   |



GHK-Cu/KPV 50/10mg -  
TA-GHKPV4.30.2026

### HPLC Chromatogram



Representative chromatogram, Conformity V1

### HPLC Conformity Testing Results (4 samples tested)

| Sample        | Purity  | NPC       | ID        | Result |
|---------------|---------|-----------|-----------|--------|
| Dedicated V0  | 99.52%  | 63.89 mg  | Confirmed | PASS   |
| Conformity V1 | 99.42%  | 63.23 mg  | Confirmed | PASS   |
| Conformity V2 | 99.42%  | 61.44 mg  | Confirmed | PASS   |
| Conformity V3 | 99.41%  | 61.85 mg  | Confirmed | PASS   |
| Mean          | 99.44%  | 62.60 mg  | —         | —      |
| Std Dev       | 0.0449% | 0.9961 mg | —         | —      |



*Dr. Greg Kalyuzhny*

Dr. Greg Kalyuzhny  
Lab Director  
7/10/2026

COA #: COA-2026-X0G383  
Access Code: 9F3D06D9  
Verify: [portal.ils-lab.com/verify/OeVMmg01v\\_67VY0Y](https://portal.ils-lab.com/verify/OeVMmg01v_67VY0Y)  
Issued: 7/10/2026

Heavy Metals Analysis (ICP-MS)

| Test          | Specification | Result       | Status |
|---------------|---------------|--------------|--------|
| Arsenic (As)  | NMT 1.5 ppm   | Not Detected | PASS   |
| Cadmium (Cd)  | NMT 0.5 ppm   | Not Detected | PASS   |
| Chromium (Cr) | NMT 10 ppm    | Not Detected | PASS   |
| Mercury (Hg)  | NMT 1.5 ppm   | Not Detected | PASS   |
| Lead (Pb)     | NMT 1 ppm     | Not Detected | PASS   |

Sterility Testing (PCR)

| Test            | Specification | Result    | Status |
|-----------------|---------------|-----------|--------|
| Sterility (PCR) | No Growth     | No Growth | PASS   |

Endotoxin Testing (USP <85>)

| Test                 | Specification | Result         | Status   |
|----------------------|---------------|----------------|----------|
| Endotoxin (USP <85>) | Report Result | NMT 0.05 EU/mL | Reported |

About this result: Endotoxin is reported as a quantitative value. Acceptable limits vary by product type and matrix, so no universal pass/fail threshold applies to RUO products. This result is below commonly referenced endotoxin thresholds.

Notes & Methodology

1. Date Tested: 07/10/2026. Methods: Full QC Panel+.
2. The sample was confirmed to be GHK-Cu/KPV by HPLC. Identification by chromatographic retention time comparison with a reference standard.
3. Elemental impurities analyzed by ICP-MS per USP <233> methodology. Acceptance criteria are internal laboratory quality screening limits for research-use materials and do not represent evaluation against any specific pharmacopeial monograph or product specification.
4. Endotoxin tested per USP <85> kinetic turbidimetric method. Acceptance criteria per client specification.
5. Peptide purity determined by RP-HPLC area normalization at 214 nm. Value represents the percentage of the target peptide relative to all peptide-related peaks. Non-peptide process-related impurities, if detected, are excluded from the calculation.
6. Per-component content calculated from total net peptide content using the manufacturer's stated formulation ratio (GHK-Cu, KPV). All components confirmed present by HPLC identity testing, unless explicitly stated otherwise.
7. Chromatogram shown is representative: Conformity V1 (99.42% purity, closest to batch mean of 99.44%).



  
**Dr. Greg Kalyuzhny**  
Lab Director  
7/10/2026

COA #: **COA-2026-X0G383**  
Access Code: **9F3D06D9**  
Verify: [portal.ils-lab.com/verify/OeVMmg01v\\_67VY0Y](portal.ils-lab.com/verify/OeVMmg01v_67VY0Y)  
Issued: 7/10/2026